

POSTER PRESENTATION

Open Access

Primary bone lymphoma

C Pissarro C Azevedo^{1*}, P José AFF Tavares², M Isabel P Portela¹, A José LCP Santos², J Manuel PS Casanova²

From 16th International Charles Heidelberger Symposium on Cancer Research
Coimbra, Portugal. 26–28 September 2010

Background

Primary bone lymphoma (PBL) accounts for 3% of all primary bone malignancies [1] and represents <2% of all lymphomas in adults [2].

Material and Methods

Retrospective review of 25 patients with PBL treated at a single institution between 1995 and 2010.

Results

14 patients were female. The median age was 63 years (30-90). 13 had localized disease. The tumor had an axial location in 20 patients (80%). 6 patients presented with a pathologic fracture. The histological type was Non-Hodgkin Lymphoma B in all patients. There were 18 high grade lymphomas. According to the IPI, 8 cases (32%) were classified as low risk, 11 cases (44%) as intermediate risk and 6 (24%) as high risk. All patients received chemotherapy. 17 patients were treated with radiotherapy to a total dose that varied from 15 to 50 Gy. 7 patients underwent surgical treatment. The median follow-up was 12 months (1-121). Recurrence of the disease was seen in 3 patients. 9 patients had disease progression. With regard to the status of the patients: 8 patients are continuously disease free; 3 patients are alive with disease; 10 patients died of the disease; 2 patients died of other cause. The 10-year overall survival rate was 45%. The 5-year survival rate was 85% for low-risk IPI vs 35% for intermediate-risk IPI vs 18% for high-risk IPI.

Conclusions

Combined modality treatment results in good survival rates in patients with low-risk and intermediate-risk PBL.

Author details

¹Department of Medical Oncology, Portuguese Oncology Institute of Coimbra, Coimbra, Portugal. ²Bone and Soft Tissue Tumor Unit, Coimbra University Hospital, Coimbra, Portugal.

Published: 24 September 2010

References

1. Limb D, Dreghorn C, Murphy JK, Mannion R: **Primary lymphoma of bone.** *Int Orthop* 1994, **18**:180-183.
2. Dubey P, Ha CS, Besa PC, Fuller L, Cabanillas F, Murray J, Hess MA, Cox JD: **Localized primary malignant lymphoma of bone.** *Int J Radiat Oncol Biol Phys* 1997, **37**:1087-1093.

doi:10.1007/BF00192476

Cite this article as: Azevedo et al.: Primary bone lymphoma. *BMC Proceedings* 2010 **4**(Suppl 2):P8.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

 **BioMed Central**

* Correspondence: cristina.azv@gmail.com

¹Department of Medical Oncology, Portuguese Oncology Institute of Coimbra, Coimbra, Portugal

Full list of author information is available at the end of the article